392 Approved For ease 2002/08/04 P. CIA-RDP70S00385 2001000700026277 :::R. MMUNICATION CENTER

//OUTGOING MESSAGE FORM/

SCCOCF FUR DOR & E REQUIREMENT FOR TALOS ARM (C)

- CINCPAC 220121Z MAR 67 NOTAL
- CNO 312106Z MAR 67
- C. JCS 1820/042215Z APR 67 NOTAL
- 1. Ref A expressed urgent requirement for 10 to 15 prototype models of AGM-45A-7 and recommended action to assign this missile to the DOD Master Urgency List. Ref B advised that L-Band SHRIKE had been accelerated and, barring technical problem delays, limited number of prototype models could be delivered for PACOM use commencing SEP 67. Ref C advised that JCS had recommended to SECDEF that SHRIKE/STANDARD ARM be placed on the Master Urgency List.

Recommend that

the TALOS ARM development be accelerated for following

NAVY AND OSD HAVE NO OBJECTION TO DECLASSIFICATION AND RELEASE.

		315			·w	ŀ	DRA =	TER	ACDR CTARK, 39-665									TYPED HARRELSON, YN1									
CRIG	INAT	OR'S	TIME	•						بنيدم			OF .	3		r A G E	8		3	100	)·, ~;	·)	-		,		
POM	CINCPAC								INFO:								STECHAL PRASING INST.										
NA CO	JCS  NAVY and OSD review(s)  completed.  ROUTINE								CINCPACFLT CNO CSAF CINCPACAF COMUSMACV SCODEF PRECEDENCE ROUTINE								CLASSIFICATION   DRAFTER   RELEASE   SECRET   J3B29   J00%   CLEAR, WITH   J3   J026   J0   J14   RAFA' J3B25   J643   J3132										
wo			_	4	13		455		СН	NL R	30	,	TOD		041	·5	R	TR.							APR		
		F/17 1002	C OF S	PA	DEP COS 102	DEP COS 103	JT SEC J04	PERS	INTL 12	OPS J3	LOG J4	PLAN		PEG		LEGL		РКОТО J 7 5	,		SDO		ccsG J02C			1	
X	x	į	x		αÆ	or <b>ž</b> ív	ed F	or I	R <b>a</b> le	a Sie	2002	2/908/	041:								7000						

SECRET

a: There is an urgent requirement to counter the threat posed by the FLAT FACE radar which has been deployed widely in NVN and has become an integral part of the air defense system.

Ref A gives details of the FLAT FACE threat including its ability to simulate FAN SONG guidance signal. The larger diameter of TALOS may greatly facilitate the development of L-band ARMS thus providing this capability earlier than with AGM-45A-7 SHRIKE. Also the glint problem associated with L-band SHRIKE when mounted on outboard stations should be non-existent with TALOS-ARM.

- b. Since TALOS is surface launched at greater ranges than SHRIKE or STD ARM the enemy is faced with a difficult detection, possible tracking and EMCON problem. It is probable that many SHRIKE launches are detected by enemy radar operators when the missile separates from the aircraft. SHRIKE remains a potent suppression weapon nevertheless, but the added capability of TALOS ARM should be exploited.
- c. The introduction of surface to surface missiles to the air war will require new defense techniques by the North Vietnamese, further complicating the air defense problem.
- d. The capability of TALOS ARM should be evaluated in the NVN environment to determine future requirements in this air war and shelf requirements as well.

Approved For Release 200 3 101 CIARDP70S00385R000100070002-2

## COMMUNICATION CENTER

SUPPLEMENTARY OUTGOING MESSAGE FORM

SECRET

- 3. Due to the cost of TALOS ARM it is not practical to consider it as primarily a destructive weapon. However, sufficient quantities are required to add a new dimension to the North Vietnamese air defense problem, specifically to create a physical and psychological disruptive effect. PACOM requirements are:
  - a. 100 S-Band TALOS ARM.
- b. 15 L-Band TALOS ARM (or SHRIKE) per month for harassment of FLAT FACE simulation of FAN SONG radar. The distribution between L-Band TALOS ARM and SHRIKE should provide the quickest L-Band ARM capability to SEAsia theater. If and when both missiles have proved to be effective and reliable, 10 L-Band SHRIKES and 5 L-Band TALOS ARM per month should be sufficient.

4—Recommend that TALIOSABATION Desired be placed and the DOD Market and the same of the parties of the same of the parties of the same of the parties of the

SECRET

TRANSMITTAL SLIP 19 m. g 1967

TO: SA/RR

ROOM NO. BUILDING

HF 26

FY I,

COS VN Centre of the control of the

**STAT** 

STAT